

Quotation Of DW SSV350

Picture 1	Picture 2	picture 3	FOB (OINGDAO)	Colors Available
			\$3,600.00	Red, balck, blue green orange

Loading Infomation

40ft HQ Container	16
20ft HQ Container	8
Packing Size	2330*1480*1170mm
Gross Weight	550kg

DW SSV350 Specifications

Engine & Drivetrain	
Cylinders Displacement	311cc
Compression Ratio	10.0:1
Engine Type	Single Cylinder , 4-Stroke , SOHC-4 Valves
Fuel System/Battery	DELPHI Electronic Fuel Injection
Max Power	17kw(24hp)/6500rpm
Max Torque	25N.m/5000rpm
Transmission	CVT L-H-N-R-P
Cooling	Liquid Cooled
Drive System	Shaft Drive -RWD
Starting system	Electric start

Dimensions

Overall Length×width×Height	2645 mm ×1515 mm ×1710mm
Estimated Dry Weight	375 kg
Rea Cargo Capacity	50kg
Fuel Capacity	16L
Wheelbase	2025 mm
Ground clearance	350 mm

Brakes	
Front/Rear Barkses	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
Additional Spesifications	
Doors	Plastic Full Door+Metal frame
Lighting	LED lights
Mirrors	Rear mirror
Roof	Metal Roof
Tires/Wheels	
Electronic Power Steering	Standard
Front Tires	25×8-12
Rear Tires	25×10-12
Wheels	Cast Aluminum
Steering	Rack & pinion Steering
Suspension	
Front Suspension	Dual A-arm with Stabilizer Bar
Rear Suspension	Trailing-Arm & 4 Radius Rods with Stabilizer Bar

Quotation Of DW Beast 1000 EPS (Three seats)

picture 1	picture 2	picture 3	FOB(QINGDAO)	Colors Available
			\$7900 (Container Price)	Camouflage Black Red

DW Beast 1000 EPS Features

				
Electrophoretic Coating Frame and Body	Adjustable Shock Absorber	3500 LBS Winch	Towing Hitch	Electric Power Steering
				
Reliable CF MOTO Engine	Metal Half Door	14 Inch Wheels Rim	29 Inch Tires	Electric Dump Bed

Optional Parts and Price

BEAST 1000 EPS	Winch	\$100.00
	Windshield	\$50.00
	Rear hitch bar with towing ball	\$40.00

Loading Infomation

40ft HQ Container	8 Units
20ft HQ Container	1 Units
Packing Size	2980*1910*1300mm
Gross Weight	1100 KGS

CF MOTO Engine & Drivetrain



CFMOTO

Cooling	Liquid
Cylinders Displacement	996.6cc
Drive System	Shaft, Selectable 4x4, Front Differential Lock
Compression Ratio	10.6 : 1
Engine Type	V-twin , 4-Stroke , SOHC
Fuel System/Battery	DELPHI Electronic Fuel Injection
Max Power	81 HP @ 6500 RPM
Max Torque	95N.m/5500rpm

Transmission	CVT L-H-N-R-P
Starting system	Electric start
EFI ignition EPA certification	Have
Dimensions	
Overall Length×width×Height	3175 mm ×1950 mm ×2285mm
Cargo Box Dimensions	820 mm ×1410 mm ×250mm
Estimated Dry Weight	860 kg
Front/Rea Box Capacity	50kg/200kg
Fuel Capacity	30L
Wheelbase	2258 mm
Front Tread	1670 mm
Rear Tread	1590 mm
Ground clearance	340 mm
Brakes	
Front/Rear Barkes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear
Additional Spesifications	
Cargo System	Electric dump bed
Doors	Metal Half Door
Lighting	4 D-series lights
Mirrors	Rear mirror
Roof	Metal Roof
Tires/Wheels	
Electronic Power Steering	Standard
Front Tires	27×9-14
Rear Tires	27×11-14
Wheels	Cast Aluminum
Steering	Rack & pinion Steering
Suspension	
Front Suspension	Dual A-arm
Rear Suspension	Dual A-arm with Stabilizer Bar
Choose your favorite colour	
CHOOSE YOUR FAVORITE COLORS     GOLD-BLACK WHITE-BLACK GREEN-BLACK ORANGE-BLACK	

Quotation Of DW Beast 1000 EPS (Six seats)

picture 1	picture 2	picture 3	FOB(QINGDAO)	Availiable Colour
			\$8900 with CF Engine	Camouflage Black Red

DW Beast 1000 EPS Features

				
Electrophoretic Coating Frame and Body	Adjustable Shock Absorber	3500 LBS Winch	Towing Hitch	Electric Power Steering
				
Reliable CF MOTO Engine	Metal Half Door	14 Inch Wheels Rim	29 Inch Tires	Electric Dump Bed

Optional Parts and Price

BEAST 1000 EPS	Winch	\$100.00
	Windshield	\$50.00
	Rear hitch bar with towing ball	\$40.00

Loading Infomation

40ft HQ Container	6Units
Packing Size	4000*1960*1290mm
Gross Weight	1300 KGS

CF MOTO Engine & Drivetrain



Cooling	CF MOTO 1000 CC Liquid Cooled Engine
Cylinders Displacement	996.6cc
Drive System	Shaft, Selectable 4x4, Front Differential Lock
Compression Ratio	10.6 : 1
Engine Type	V-twin , 4-Stroke , SOHC
Fuel System	BOSCH® EFI
Max Power	81 HP @ 6500 RPM

Max Torque	95N.m/5500rpm
Transmission	CVTECH® AUTOMATIC P/R/N/H/L
Starting system	Electric start
Dimensions	
Overall Length×width×Height	3930 mm ×1950 mm ×2285mm
Cargo Box Dimensions	820 mm ×1480mm ×390mm
Estimated Dry Weight	968 kg
Front/Rea Box Capacity	50kg/200kg
Fuel Capacity	30L
Wheelbase	2990 mm
Front Tread	1670 mm
Rear Tread	1590 mm
Ground clearance	350 mm
Brakes	
Front/Rear Barks	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
Additional Spesifications	
Cargo System	Electric dump bed
Doors	Metal Half Door
Lighting	4 D-series lights
Mirrors	Rear mirror
Roof	Metal Roof
Tires/Wheels	
Electronic Power Steering	Standard
Front Tires	27×9-14
Rear Tires	27×11-14
Wheels	Cast Aluminum
Steering	Rack & pinion Steering
Suspension	
Front Suspension	Dual A-arm
Rear Suspension	Dual A-arm with Stabilizer Bar
Rear Suspension	Dual A-arm with Stabilizer Bar
Choose your favorite colour	
CHOOSE YOUR FAVORITE COLORS     GOLD-BLACK WHITE-BLACK GREEN-BLACK ORANGE-BLACK	

WARRIOR 1000 MXD (Three seats)

Picture 1	Picture 2	Picture 3	FOB (QINGDAO)	Colors Available
			\$7900 (Container Price)	Desert yellow Black

DW WARRIOR 1000 MXD Features

				
Electrophoretic Coating Frame and Body	Adjustable Shock Absorber	4500 LBS Winch	10" Touching screen	Electric Power Steering
				
Reliable V-twin Engine	Comfortable seats	14 Inch Wheels Rim	Rear hitch bar with	Electric Dump Bed

Optional Parts and Price

WARRIOR 1000 MXD	10" Touching	\$400.00
	Winch	\$100.00
	Windshield	\$50.00
	Rear hitch bar with towing ball	\$40.00

Loading Information

40ft HQ Container	8 Units
Packing Size	2980*1910*1300mm
Gross Weight	1100KGS

CF MOTO Engine & Drivetrain



Cooling	CF MOTO 1000 CC Liquid Cooled Engine
Cylinders Displacement	996.6cc
Drive System	Shaft, Selectable 4x4, Front Differential Lock
Compression Ratio	10.6 : 1
Engine Type	V-twin , 4-Stroke , SOHC
Fuel System	BOSCH® EFI

Max Power	81 HP @ 6500 RPM
Max Torque	95N.m/5500rpm
Transmission	CVTECH® AUTOMATIC
Starting system	Electric start
Dimensions	
Overall Length×width×Height	3270 mm ×1950 mm ×2115mm
Cargo Box Dimensions	828 mm ×1448 mm ×390mm
Estimated Dry Weight	875 kg
Front/Rea Box Capacity	50kg/200kg
Fuel Capacity	30L
Wheelbase	2258 mm
Front Tread	1670 mm
Rear Tread	1590 mm
Ground clearance	380 mm
Brakes	
Front/Rear Barkses	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
Additional Specifications	
Cargo System	Electric dump bed
Doors	Metal Half Door
Lighting	4 D-series lights
Mirrors	Rear mirror
Roof	Metal Roof
Tires/Wheels	
Electronic Power Steering	Standard
Front Tires	27×9-14
Rear Tires	27×11-14
Wheels	Cast Aluminum
Steering	Rack & pinion Steering
Suspension	
Front Suspension	Dual A-arm
Rear Suspension	Dual A-arm with Stabilizer Bar
Choose your favorite colour	
	

WARRIOR 1000 MXD CREW(Six seats)

Picture 1	Picture 2	Picture 3	FOB(QINGDAO)	Colors Available
			\$8900 with CF Engine	Desert yellow Black Olive green

DW WARRIOR 1000 MXD CREW Features

				
Electrophoretic Coating Frame and	Adjustable Shock Absorber	4500 LBS Winch	10" Touching screen	Electric Power Steering
				
Reliable V-twin Engine	Comfortable seats	14 Inch Wheels Rim	Rear hitch bar with towing ball	Electric Dump Bed

Optional Parts and Price

WARRIOR 1000 MXD CREW	10" Touching	\$400.00
	Winch	\$100.00
	Windshield	\$50.00
	Rear hitch bar with towing ball	\$40.00

Loading Information

40ft HQ Container	6 Units
Packing Size	4000*1960*1290mm
Gross Weight	1300KGS

CF MOTO 1000 CC Engine



Cooling	CF 1000 CC Liquid Cooled Engine
Cylinders Displacement	996.6cc
Drive System	Shaft, Selectable 4x4, Front Differential Lock
Compression Ratio	10.6 : 1

Engine Type	V-twin , 4-Stroke , SOHC
Fuel System	BOSCH® EFI
Max Power	81 HP @ 6500 RPM
Max Torque	95N.m/5500rpm
Transmission	CVTECH® AUTOMATIC P/R/N/H/L
Starting system	Electric start
Dimensions	
Overall Length×width×Height	3985 mm ×1950mm ×2115mm
Cargo Box Dimensions	828 mm ×1448 mm ×390mm
Estimated Dry Weight	1080 kg
Front/Rea Box Capacity	50kg/200kg
Fuel Capacity	30L
Wheelbase	2990 mm
Front Tread	1670 mm
Rear Tread	1590 mm
Ground clearance	350 mm
Brakes	
Front/Rear Barkes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
Additional Specifications	
Cargo System	Electric dump bed
Doors	Metal Half Door
Lighting	4 D-series lights
Mirrors	Rear mirror
Roof	Metal Roof
Tires/Wheels	
Electronic Power Steering	Standard
Front Tires	27×9-14
Rear Tires	27×11-14
Wheels	Cast Aluminum
Steering	Rack & pinion Steering
Suspension	
Front Suspension	Dual A-arm with Stabilizer Bar
Rear Suspension	Dual A-arm with Stabilizer Bar
Choose your favorite colour	
  	

WARRIOR 1000 MXD CLOSED MODEL (Three seats)

Picture 1	Picture 2	Picture 3	FOB(QINGDAO)	Colors Available
			\$9500 (Container Price)	Desert yellow Black

DW WARRIOR 1000 MXD Features

				
Electrophoretic Coating Frame and Body	Adjustable Shock Absorber	4500 LBS Winch	10" Touching screen	Electric Power Steering
				
Reliable V-twin Engine	Comfortable seats	14 Inch Wheels Rim	Rear hitch bar with towing ball	Electric Dump Bed

Optional Parts and Price

WARRIOR 1000 MXD	10" Touching screen	\$400.00
	Winch	Include
	Windshield	Include
	Rear hitch bar with towing ball	Include

Loading Information

40ft HQ Container	8 Units
Packing Size	3400*2100*1900mm
Gross Weight	1200KGS

CF MOTO Engine & Drivetrain



Cooling	CF MOTO 1000 CC Liquid Cooled Engine
Cylinders Displacement	963cc
Drive System	Shaft, Selectable 4x4, Front Differential Lock
Compression Ratio	10.3:1

Engine Type	V-twin , 4-Stroke , SOHC
Fuel System	BOSCH® EFI
Max Power	81 HP @ 6500 RPM
Max Torque	95N.m/5500rpm
Transmission	CVTECH® AUTOMATIC P/R/N/H/L
Starting system	Electric start
Dimensions	
Overall Length×width×Height	3270 mm ×1950 mm ×2115mm
Cargo Box Dimensions	828 mm ×1448 mm ×390mm
Estimated Dry Weight	875 kg
Front/Rea Box Capacity	50kg/200kg
Fuel Capacity	30L
Wheelbase	2258 mm
Front Tread	1670 mm
Rear Tread	1590 mm
Ground clearance	380 mm
Brakes	
Front/Rear Barkes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
Additional Specifications	
Cargo System	Electric dump bed
Doors	Metal Half Door
Lighting	4 D-series lights
Mirrors	Rear mirror
Roof	Metal Roof
Tires/Wheels	
Electronic Power Steering	Standard
Front Tires	27×9-14
Rear Tires	27×11-14
Wheels	Cast Aluminum
Steering	Rack & pinion Steering
Suspension	
Front Suspension	Dual A-arm
Rear Suspension	Dual A-arm with Stabilizer Bar

WARRIOR 1000 MXD CREW CLOSED MODEL (Six seats)

Picture 1	Picture 2	Picture 3	FOB(QINGDAO)	Colors Available
			\$10500 with CF Engine	Desert yellow Black Olive green

DW WARRIOR 1000 MXD CREW Features

				
Electrophoretic Coating Frame and	Adjustable Shock Absorber	4500 LBS Winch	10" Touching screen	Electric Power Steering
				
Reliable V-twin Engine	Comfortable seats	14 Inch Wheels Rim	Rear hitch bar with towing ball	Electric Dump Bed

Optional Parts and Price

WARRIOR 1000 MXD CREW	10" Touching	\$400.00
	Winch	Include
	Windshield	Include
	Rear hitch bar with towing ball	Include

Loading Information

40ft HQ Container	6 Units
Packing Size	4150*1960*1930mm
Gross Weight	1400KGS

CF MOTO 1000 CC Engine



Cooling	CF 1000 CC Liquid Cooled Engine
Cylinders Displacement	963cc
Drive System	Shaft, Selectable 4x4, Front Differential Lock
Compression Ratio	10.3:1

Engine Type	V-twin , 4-Stroke , SOHC
Fuel System	BOSCH® EFI
Max Power	81 HP @ 6500 RPM
Max Torque	95N.m/5500rpm
Transmission	CVTECH® AUTOMATIC P/R/N/H/L
Starting system	Electric start
Dimensions	
Overall Length×width×Height	3985 mm ×1950mm ×2115mm
Cargo Box Dimensions	828 mm ×1448 mm ×390mm
Estimated Dry Weight	1080 kg
Front/Rea Box Capacity	50kg/200kg
Fuel Capacity	30L
Wheelbase	2990 mm
Front Tread	1670 mm
Rear Tread	1590 mm
Ground clearance	350 mm
Brakes	
Front/Rear Barkes	4-Wheel Hydraulic Disc with Dual-Bore Front and Rear Calipers
Additional Specifications	
Cargo System	Electric dump bed
Doors	Metal Half Door
Lighting	4 D-series lights
Mirrors	Rear mirror
Roof	Metal Roof
Tires/Wheels	
Electronic Power Steering	Standard
Front Tires	27×9-14
Rear Tires	27×11-14
Wheels	Cast Aluminum
Steering	Rack & pinion Steering
Suspension	
Front Suspension	Dual A-arm with Stabilizer Bar
Rear Suspension	Dual A-arm with Stabilizer Bar